

Period Started	Period Ended	RecordId	PeriodId	SamplerName	SamplerType	BenzeneAmt, ug/m3	CorrectedBenzeneAmt	BdlFlag	BdlAmt	OutlierFlag	SkippedFlag	OtherData	ResultsComments
12/23/24	01/06/25	1	2024-77	SP-01	Regular Monitor	0.74		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-02	Regular Monitor	0.72		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-03	Regular Monitor	0.65		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-04	Regular Monitor	0.72		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-05	Regular Monitor	0.7		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-06	Regular Monitor	0.69		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-07	Regular Monitor	0.55		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-08	Regular Monitor	0.97		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-09	Regular Monitor	0.71		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-10	Regular Monitor	0.67		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-11	Regular Monitor	0.85		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-12	Regular Monitor	1.1		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-13	Regular Monitor	1		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-14	Regular Monitor	1.3		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-15	Regular Monitor	1		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-16	Regular Monitor	0.95		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-17	Regular Monitor	0.86		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-18	Regular Monitor	0.98		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-19	Regular Monitor	0.67		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-20	Regular Monitor	0.15		yes	0.15	no	no		
12/23/24	01/06/25	1	2024-77	SP-21	Regular Monitor	0.74		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-22	Regular Monitor	0.15		yes	0.15	no	no		
12/23/24	01/06/25	1	2024-77	SP-23	Regular Monitor	1.8		no		no	no		
12/23/24	01/06/25	1	2024-77	SP-24	Regular Monitor	2		no		no	no		
12/23/24	01/06/25	1	2024-77	D-01	Regular Monitor	1.5		no		no	no		
12/23/24	01/06/25	1	2024-77	FB-01	Field Blank	1.5		no		no	no		
12/23/24	01/06/25	1	2024-77	D-02	Regular Monitor	1.6		no		no	no		
12/23/24	01/06/25	1	2024-77	FB-02	Field Blank	1.2		no		no	no		
01/06/25	01/27/25	1	2025-78	SP-01	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-02	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall

01/06/25	01/27/25	1	2025-78	SP-03	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-04	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-05	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-06	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-07	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-08	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-09	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-10	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-11	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-12	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-13	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-14	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-15	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-16	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-17	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-18	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-19	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-20	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-21	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-22	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-23	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	SP-24	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	D-01	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	FB-01	Field Blank	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	D-02	Regular Monitor	n/a							VOID Due to Effects of Heavy Snowfall
01/06/25	01/27/25	1	2025-78	FB-02	Field Blank	n/a							VOID Due to Effects of Heavy Snowfall
01/27/25	02/10/25	1	2025-79	SP-01	Regular Monitor	0.69		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-02	Regular Monitor	0.66		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-03	Regular Monitor	0.62		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-04	Regular Monitor	0.58		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-05	Regular Monitor	0.63		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-06	Regular Monitor	0.57		no		no	no		

01/27/25	02/10/25	1	2025-79	SP-07	Regular Monitor	0.48		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-08	Regular Monitor	0.56		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-09	Regular Monitor	0.62		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-10	Regular Monitor	0.65		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-11	Regular Monitor	0.73		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-12	Regular Monitor	0.89		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-13	Regular Monitor	1		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-14	Regular Monitor	1.1		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-15	Regular Monitor	2.4		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-16	Regular Monitor	3.1		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-17	Regular Monitor	0.96		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-18	Regular Monitor	0.92		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-19	Regular Monitor	0.83		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-20	Regular Monitor	1.6		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-21	Regular Monitor	0.76		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-22	Regular Monitor	0.65		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-23	Regular Monitor	0.81		no		no	no		
01/27/25	02/10/25	1	2025-79	SP-24	Regular Monitor	1.2		no		no	no		
01/27/25	02/10/25	1	2025-79	D-01	Regular Monitor	0.64		no		no	no		
01/27/25	02/10/25	1	2025-79	FB-01	Field Blank	0.15		yes	0.15	no	no		
01/27/25	02/10/25	1	2025-79	D-02	Regular Monitor	0.51		no		no	no		
01/27/25	02/10/25	1	2025-79	FB-02	Field Blank	0.15		yes	0.15	no	no		
02/10/25	02/24/25	1	2025-80	SP-01	Regular Monitor	0.61		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-02	Regular Monitor	0.57		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-03	Regular Monitor	0.6		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-04	Regular Monitor	0.54		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-05	Regular Monitor	0.59		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-06	Regular Monitor	0.55		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-07	Regular Monitor	0.44		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-08	Regular Monitor	0.62		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-09	Regular Monitor	0.56		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-10	Regular Monitor	0.55		no		no	no		

02/10/25	02/24/25	1	2025-80	SP-11	Regular Monitor	0.55		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-12	Regular Monitor	1.2		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-13	Regular Monitor	0.57		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-14	Regular Monitor	0.79		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-15	Regular Monitor	1.1		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-16	Regular Monitor	1.4		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-17	Regular Monitor	0.74		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-18	Regular Monitor	0.84		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-19	Regular Monitor	0.83		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-20	Regular Monitor	0.71		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-21	Regular Monitor	0.81		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-22	Regular Monitor	0.8		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-23	Regular Monitor	0.73		no		no	no		
02/10/25	02/24/25	1	2025-80	SP-24	Regular Monitor	0.82		no		no	no		
02/10/25	02/24/25	1	2025-80	D-01	Regular Monitor	0.61		no		no	no		
02/10/25	02/24/25	1	2025-80	FB-01	Field Blank	0.15		yes	0.15	no	no		
02/10/25	02/24/25	1	2025-80	D-02	Regular Monitor	0.5		no		no	no		
02/10/25	02/24/25	1	2025-80	FB-02	Field Blank	0.15		yes	0.15	no	no		
02/24/25	03/10/25	1	2025-81	SP-01	Regular Monitor	0.67		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-02	Regular Monitor	0.68		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-03	Regular Monitor	0.69		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-04	Regular Monitor	0.62		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-05	Regular Monitor	0.68		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-06	Regular Monitor	0.59		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-07	Regular Monitor	0.46		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-08	Regular Monitor	0.58		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-09	Regular Monitor	0.54		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-10	Regular Monitor	0.64		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-11	Regular Monitor	0.84		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-12	Regular Monitor	1.6		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-13	Regular Monitor	0.81		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-14	Regular Monitor	0.91		no		no	no		

02/24/25	03/10/25	1	2025-81	SP-15	Regular Monitor	1.6		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-16	Regular Monitor	2.3		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-17	Regular Monitor	0.87		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-18	Regular Monitor	0.83		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-19	Regular Monitor	0.88		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-20	Regular Monitor	0.87		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-21	Regular Monitor	1.1		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-22	Regular Monitor	0.99		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-23	Regular Monitor	0.93		no		no	no		
02/24/25	03/10/25	1	2025-81	SP-24	Regular Monitor	1		no		no	no		
02/24/25	03/10/25	1	2025-81	D-01	Regular Monitor	0.73		no		no	no		
02/24/25	03/10/25	1	2025-81	FB-01	Field Blank	0.15		yes	0.15	no	no		
02/24/25	03/10/25	1	2025-81	D-02	Regular Monitor	0.5		no		no	no		
02/24/25	03/10/25	1	2025-81	FB-02	Field Blank	0.15		yes	0.15	no	no		
03/10/25	03/24/25	1	2025-82	SP-01	Regular Monitor	0.68		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-02	Regular Monitor	0.6		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-03	Regular Monitor	0.58		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-04	Regular Monitor	0.61		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-05	Regular Monitor	0.61		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-06	Regular Monitor	0.54		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-07	Regular Monitor	0.46		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-08	Regular Monitor	0.47		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-09	Regular Monitor	0.58		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-10	Regular Monitor	0.73		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-11	Regular Monitor	0.81		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-12	Regular Monitor	0.76		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-13	Regular Monitor	0.93		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-14	Regular Monitor	0.96		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-15	Regular Monitor	2.1		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-16	Regular Monitor	1.9		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-17	Regular Monitor	0.86		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-18	Regular Monitor	0.76		no		no	no		

03/10/25	03/24/25	1	2025-82	SP-19	Regular Monitor	0.71		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-20	Regular Monitor	0.66		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-21	Regular Monitor	0.86		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-22	Regular Monitor	0.8		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-23	Regular Monitor	0.84		no		no	no		
03/10/25	03/24/25	1	2025-82	SP-24	Regular Monitor	1.1		no		no	no		
03/10/25	03/24/25	1	2025-82	D-01	Regular Monitor	0.71		no		no	no		
03/10/25	03/24/25	1	2025-82	FB-01	Field Blank	0.14		yes	0.14	no	no		
03/10/25	03/24/25	1	2025-82	D-02	Regular Monitor	0.64		no		no	no		
03/10/25	03/24/25	1	2025-82	FB-02	Field Blank	0.14		yes	0.14	no	no		
03/24/25	04/08/25	1	2025-83	SP-01	Regular Monitor	0.52		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-02	Regular Monitor	0.51		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-03	Regular Monitor	0.47		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-04	Regular Monitor	0.53		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-05	Regular Monitor	0.39		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-06	Regular Monitor	2.3		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-07	Regular Monitor	0.61		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-08	Regular Monitor	0.55		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-09	Regular Monitor	0.45		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-10	Regular Monitor	0.34		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-11	Regular Monitor	0.84		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-12	Regular Monitor	0.66		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-13	Regular Monitor	0.75		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-14	Regular Monitor	0.79		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-15	Regular Monitor	1.2		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-16	Regular Monitor	2.3		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-17	Regular Monitor	1.7		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-18	Regular Monitor	0.89		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-19	Regular Monitor	0.57		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-20	Regular Monitor	0.47		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-21	Regular Monitor	0.71		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-22	Regular Monitor	0.56		no		no	no		

03/24/25	04/08/25	1	2025-83	SP-23	Regular Monitor	0.69		no		no	no		
03/24/25	04/08/25	1	2025-83	SP-24	Regular Monitor	1.1		no		no	no		
03/24/25	04/08/25	1	2025-83	D-01	Regular Monitor	0.54		no		no	no		
03/24/25	04/08/25	1	2025-83	FB-01	Field Blank	0.14		yes	0.14	no	no		
03/24/25	04/08/25	1	2025-83	D-02	Regular Monitor	0.4		no		no	no		
03/24/25	04/08/25	1	2025-83	FB-02	Field Blank	0.14		yes	0.14	no	no		